EC-TYPE EXAMINATION CERTIFICATE

Equipment or Protective System intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC



- [3] EC-Type Examination Certificate Number: DEMKO 99 ATEX 126014
- [4] Equipment or Protective System: Ex-Isolated Driver 5105B..
- [5] Manufacturer: PR electronics A/S

[1]

[2]

- [6] Address: Lerbakken 10, DK-8410 Ronde, Denmark,
- [7] This equipment or protective system and any acceptable variation there to is specified in the schedule to this certificate and the documents therein referred to.
- UL International Demko A/S, notified body number 0539 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential report no. 126014

- [9] Compliance with the Essential Health and Safety Requirements has been assured by compliance with: EN 50014: 1997 E incl. A1+A2, EN 50020: 2002 E, EN 50281-1-1:1998 incl. A1
- [10] If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.
- This EC-Type examination certificate relates only to the design, examination and tests of the specified equipment or protective system in accordance to the Directive 94/9/EC. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by the certificate.
- [12] The marking of the equipment or protective system shall include the following:

⊕ II (1)GD [EEx ia] IIC

On behalf of UL International Demko A/S

Herley, 1999-09-02 Revised 2003-12-04

Karina Christiansen Certification Manager

UL International Demko A/S

Lyskaer 8, P.O. Box 514 DK-2730 Herlev, Denmark Telephone: +45 44856565 Fax: +45 44856500 Certificate: 99 ATEX 126014



[13]

Schedule

[14]


EC-TYPE EXAMINATION CERTIFICATE No. DEMKO 99 ATEX 126014

[15] Description of Equipment or protective system:

The Isolated Driver type 5105B___ is designed for mounting on a DIN rail in a non-hazardous area. The product can be delivered in 1 and 2 channel versions. Input, output and power supply are galvanic separated from each other by opto-couplers and a transformer.

Type variants comprised by the certificate:

5105B



The B indicates that the unit is a version for use in association with potentially explosive atmosphere. An A will indicate a version only for use in connection with non-hazardous areas.

Please note, that also for the versions with an X for input and/or a 0 for output, the intrinsically safe specifications (paragraph [17]) must be observed.

- The Ex-Isolated Driver 5105B_ has been evaluated according to EN 50281-1-1: 1998 in order to include D (dust) in this certificate. Therefore the marking plate include the following:
 II (1) GD
- Project is updated to EN 50014:1997 E incl. A1+A2 and EN 50020: 2002 E.

[16] Report No.:

126014-Report 99-01586 126014 Report 99-03982 126014-03 Report 126014-04 Report

Drawings:

The Schedule drawings are listed in the document entitled "5105G0".

UL International Demko A/S

Lyskaer 8, P.O. Box 514 DK-2730 Herlev, Denmark Telephone: +45 44856565 Fax: +45 44856500 Certificate: 99 ATEX 126014 Report: 126014-04



Schedule

EC-TYPE EXAMINATION CERTIFICATE No. DEMKO 99 ATEX 126014

The manufacturer shall inform the notified body concerning all modifications to the technical documentation as described in ANNEX III to Directive 94/9/EC of the European Parliament and the Council of 23 March 1994.

[17]

Special conditions for safe use:

For correct use and installation the manufacturers manual must be followed.

Intrinsically safe specifications

 $U_0: 28 \text{ V DC}$

I_o: 93,0 mA DC

 $P_o: 0,65 \text{ W}$ $L_o: 3 \text{ mH}$

 $C_0 : 0,08 \, \mu F$

 U_{\perp} : 250 \dot{V}

[18] Essential Health and Safety Requirements

Concerning ESR this Schedule verifies compliance with the Ex standards only. The manufacturer's Declaration of Conformity declares compliance with other relevant Directives.

On behalf of UL International Demko A/S

Herley, 2003-11-25

Karına Christiansen Certification Manager