



TYPE APPROVAL CERTIFICATE
No. **ELE028413XG**

This is to certify that the product below is found to be in compliance with the applicable requirement of the RINA type approval system.

<i>Description</i>	Temperature sensors
<i>Type</i>	MBT 5250 MBT 5252 MBT 5253 MBT 5260 MBT 5310 MBT 5410 MBT 5722.
<i>Applicant</i>	DANFOSS A/S Nordborgvej 81 DK-6430 Nordborg (office E14-S1) DENMARK
<i>Manufacturer</i>	DANFOSS A/S
<i>Place of manufacture</i>	Nordborgvej 81 DK-6430 Nordborg (office E14-S1) DENMARK
<i>Reference standards</i>	Rules for the Classification of Ships - Part C - Machinery, Systems and fire protection - Ch.3, Sect.6, Tab.1.

Issued in **HAMBURG** on **December 18, 2013**. This Certificate is valid until **December 17, 2018**



RINA Services S.p.A.
Giuseppe Russo

This certificate consists of this page and 1 enclosure

TYPE APPROVAL CERTIFICATE

No. ELE028413XG

Enclosure - Page 1 of 1

MBT 5250 MBT 5252 MBT 5253 MBT 5260 MBT 5310 MBT 5410 MBT 5722.

Description:

- Stern tube sensor type MBT 5722 (up to 200°C media temperature with Pt 100 resistance element)
- Temperature room sensor and temperature transmitter type MBT 5410 (temperature range from -50 to +70°C)
- Bearing temperature sensor type MBT 5310 with bayonet connection for monitoring of bearing temperatures where there is risk of overheating , such as :
 - Wind turbines
 - Engines
 - Generators
- Bearing temperature sensor type MBT 5310 Cable version.
 - Based on Pt 100 / Pt 1000 technology for use up to 200°C.
 - Spring loaded to ensure good contact with the bearing and insertion length adjustable from 60 to 300 mm
- Universal temperature sensor with interchangeable insert and bayonet connector, type MBT 5250, 5260 (up to +200°C media temperatures)
- Temperature sensor with interchangeable insert type MBT 5252 (up to +400°C media temperatures)
- Temperature sensor cable mounted type MBT 5253 (temperature range: -50°C to 250°C)

Reference Documents:

- Techn. Brochure: Stern tube sensor, type MBT 5722 IC.PD.P30.M4.02 / 520B4982
- Danfoss Techn. Brochure IC.PD.P30.J4.02 / 520B4990 (MBT 5410)
- Danfoss Data Sheet IC.PD.P30.I2.02 / 520B4953 (MBT 5250, MBT 5260, MBT 5252)
- MBT 5250.zip, MBT 5260.zip, MBT 5253.zip, MBT 5310.zip (Engineering sheets und drawings)
- Danfoss Data Sheet IC.PD.P30.Q1.02
- Danfoss Data Sheet IC.PD.P30.Q3.02-A0
- Danfoss Engineering Sheet, valid serial no. 080922-5 and 08922-6

Test Reports:

Danfoss Test Report No.:2008-2142, dated 2008-03-11

DELTA Test Report Task reference T204302, Cold Test, Damp Heat Cyclic Test, Shock Test

(The vibration test of task reference T204302 is not valid because of wrong parameters. 0,7g instead of 4g)

DELTA Test Report Task reference T205006, Vibration Test , dated 2013-03-15

(The renewed vibration test of task reference T204302)

Remark:

Following inserts for temperature are to be used:

- MBT 150 for sensors type MBT 5250
- MBT 152 for sensors type MBT 5252
- MBT 153 for sensors type MBT 5253
- Fixed insert for MBT 5260

This certificate annuls and replaces the previous certificate ELE136011XG.

HAMBURG October 31, 2013

