

Dräger X-plore® 9000 Full Face Mask

The Dräger X-plore® 9000 supplied air system is designed for light duty industrial applications that require an independent air supply. This modular system provides comfortable and reliable respiratory protection in accordance with EN 14594:05.

Breathing hose

 For connection to hoods, helmets, visors, half masks and full face masks

Compressed air connection

- For connection to an industrial compressed air source
- 10 m long
- Available as standard version or spiral version

Control valve

- Manually adjustable
- The air flow can be adjusted from 170 to 400 l/min based on the individual needs

Filter station (optional)

- Connection of two device users is possible
- Removes particles, deposits (e.g. oil mist) and unpleasant smells
- Improves the air quality from industrial compressed air sources





Benefits

Versatile combination options

For the most varied applications there is a large program of Dräger X-plore® helmet, hoods and visors as well as half- and full-face masks available. The system has been tested and approved in accordance with EN 14594:05.

Individual adaptation of the air supply

During deployment the user can adjust the air supply via a control valve at the belt unit between 170 and 400 l/min and thereby adjust it to their individual requirements.

Optionally insertable filter station

The system is rounded off with an optional filter station to which two device wearers can be connected. This removes particles, and mixtures such as oil mist and annoying odours from industrial compressed air and thus clearly improves the quality of the inhaled air.

Respiratory protection independent of the ambient air

The belt-worn set Dräger X-plore 9000 is connected via a 10m long standard or spiral pneumatic hose to an onsite supply of breathing air (e.g. a compressed air mains). This breathable air is then conducted via a breathing hose to the connected Dräger X-plore® head unit.

High level of wearing comfort

The X-plore 9000 excels by its low noise emission and low weight (200 g). This permits safe working for longer periods with a high level of wearing comfort.



Respiratory hose to connect Dräger X-plore® hoods, helmets a

Order number: R 56 657



Respiratory hose to connect the half-face masks

Respiratory hose to connect the half-face masks Dräger X-plore® 4740 and full face masks Dräger X-plore® 6300/6500

Order number: R 56 656



Standard pneumatic supply hose 10m

Order number: 33 53 929



Spiral pneumatic supply hose 10m

Order number: 33 53 928



Dräger X-plore® short hood TH2, grey

Order number: R 56 736



Dräger X-plore® short hood TH2, orange

Order number: R 56 737



Dräger X-plore® long hood TH2, grey

Order number: R 56 738



Dräger X-plore® long hood TH2, orange

Order number: R 56 739



Dräger X-plore® protective AC visor

Order number: R 56 728



Dräger X-plore® safety helmet with visor

Order number: R 56 747



Dräger X-plore® 4740, TPE, M/L

Order number: R 55 876



Dräger X-plore® 4740, silicone, S/M

Order number: R 55 875



Dräger X-plore® welding protection visor

Order number: R 55 348



Dräger X-plore® 6570

The Dräger X-plore® 6570 is the high comfort silicone full face mask used by professionals in a wide variety of applications. It meets the highest demands for quality, reliability, secure fit and comfort. This full face mask is the successor to the Panorama Nova masks, a range which has proven itself over decades of use worldwide.



Dräger X-plore® 6300

The Dräger X-plore® 6300 is the efficient yet low-cost full face breathing mask intended for price-conscious users not wishing to compromise on comfort or quality. This full face mask is the successor to the Panorama Nova Standard, a mask which has proven itself over decades of use worldwide—redesigned and improved with fresh colours and an integrated bar code.




Dräger X-plore® 6530

The Dräger X-plore® 6530 is the most widely used full face mask from professionals in a wide variety of applications. It meets the highest demands for quality, reliability, secure fit and comfort. This full face mask is the successor to the Panorama Nova masks, a range which has proven itself over decades of use worldwide.

.

Accessories




Silencer

Order number: R 56 658



Filter station for Dräger X-plore® 9000

Order number: 33 53 926



Belt for Dräger X-plore® 9000

Order number: 33 53 925



Filter cartridge for filter station

Order number: 33 53 927

Technical Data

Inlet air pressure	3 to 10 bar
Air flow rate	min. 170 I/min. to max. 400 I/min.
Weight	200 g
Noise level	61 dB
Working temperature and humidity	+10 to +40 °C at 20 to 80 % RH
Certification	EN 14594:05, Class 2A

Ordering Information

Description	Order no.
Dräger X-plore® 9000 Belt Unit	R 56 660
Silencer	R 56 658
Waistbelt for Dräger X-plore® 9000	R 58 968
Dräger X-plore® 9000 corrugated hose bayonet (for the	R 58 961
connection of Dräger X-plore® 7000 hoods, visors and Dräger X-	
plore® 8000 helmet)	
Dräger X-plore® 9000 corrugated hose Rd40 (for the connection	R 58 962
of full face masks Dräger X-plore®6300, 6500 and half masks	
Dräger X-plore® 4740)	
Dräger X-plore® 9000 hose for helmet R 58 325	R 58 327
Dräger X-plore® 9000 filter station	R 58 963
Dräger X-plore® 9000 filter cartridge for filter station	R 58 964
Dräger X-plore® 9000 standard hose (10 m length, with plugs	R 58 966
STANDARD DN 7,2)	
Dräger X-plore® 9000 spiral hose (10 m length, with plugs	R 58 967
STANDARD DN 7,2)	
Dräger X-plore [®] hoods, helmets and visors	
Dräger X-plore® 7000 short hood TH2 (grey)	R 56 736
Dräger X-plore® 7000 short hood TH2 (orange)	R 56 737
Dräger X-plore® 7000 long hood TH2 (grey)	R 56 738
Dräger X-plore® 7000 long hood TH2 (orange)	R 56 739
Dräger X-plore® 7000 protective face shield PC (with	R 56 746
polycarbonate visor)	
Dräger X-plore® 7000 protective face shield AC (with acetate	R 56 728
visor)	
Dräger X-plore® 7000 welding visor	R 55 348
Dräger X-plore® 8000 helmet with visor, black	R 58 325
Dräger X-plore® half masks	
Dräger X-plore® 4740, silicone, M/L	R 55 874
Dräger X-plore® 4740, silicone, S/M	R 55 875
Dräger X-plore® 4740, TPE, M/L	R 55 876
Dräger X-plore ® full-face masks	
Dräger X-plore® 6300	R 55 800
Dräger X-plore® 6530 polycarbonate lens	R 55 795
Dräger X-plore® 6530 triplex lens	R 55 810
Dräger X-plore® 6570 polycarbonate lens	R 55 790
Dräger X-plore® 6570 triplex lens	R 55 850

Ordering Information

Notes

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA Moislinger Allee 53–55 23558 Lübeck, Germany www.draeger.com

REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Safety AG & Co. KGaA Revalstraße 1 23560 Lübeck, Germany Tel +49 451 882 0 Fax +49 451 882 2080 info@draeger.com

REGION EUROPE SOUTH

Dräger Safety France SAS 25, rue Georges Besse 92182 Antony Cedex Tel +33 1 46 11 56 00 Fax +33 1 40 96 97 20 europe.south@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA Branch Office P.O. Box 505108 Dubai, United Arab Emirates Tel +971 4 4294 600 Fax +971 4 4294 699 contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Safety Asia Pte Ltd 25 International Business Park #04-20/21 German Centre Singapore 609916 Tel +65 6308 9400 Fax +65 6308 9401 asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L. Complejo Business Park, V tower, 10th floor Panama City Tel +507 377 9100 Fax +507 377 9130 contactcsa@draeger.com

Locate your Regional Sales Representative at: www.draeger.com/contact

