

Dräger X-plore® Pure Filter

Hazards in industrial work processes and the necessary safety measures are growing in complexity and diversity. The Dräger X-plore® Pure particle filters with advanced modularity and a wider range of application possibilities take this development into account.



Benefits

Dräger X-plore® Pure

This filter can be used purely as a particle filter or in combination with gas filters – the user can benefit from a variable and safe individual solution in connection with Dräger X-plore® half- or full masks of the series 3300, 3500 or 5500.

Design and Material

- trapezoid and eccentric connection for an unobstructed field of vision
 - ideal for use with face visors or welding shields
 - lint-free, flexible filter material
 - high modularity allows you to expand your Dräger X-plore® gas filters to combination filters using the Dräger X-plore® Pure Filter and Adapter
 - Dräger X-plore® Pure Odour P3 with an integrated charcoal-layer protects against nuisance, organic odours below the occupational exposure limits
-

High User Safety

- CE-certified (EN143:2000/A1:2006)
 - labelling “R”: certified for reuse (more than one shift)
 - marks on the filter insert for secure filter guidance (safe, fast bayonet fitting)
 - not easily flammable – ideal in a welding environment
 - patented internal mechanics enable an easy and quick fit test
 - VOICE-program helps users to select the right filter for the application (www.drager.com/voice)
-

Highly Efficient

- packed in pairs for improved protection of unused filters
- usable for four years after date of manufacturing
- reduced costs through compatibility with all Dräger X-plore® bayonet gas filters and the Dräger X-plore® Pure Adapter

Technical Data

Design	The particle filter is trapezoid shaped	
Dimensions	Outer diameter	139 x 94 mm (l x w)
	Height (including bayonet fitting)	24 mm
	Volume of the filter	Approx. 115 ml
Filter medium	Meltblown for protection against solid and liquid non-volatile particles	
Approvals	Dräger X-plore® Pure filters comply with the safety requirements for the EU-guideline 89/686 and are certified according to EN143:2000/A1:2006. The products are CE-certified.	

Ordering Information

Filter class	Notes for application	Package size	Weight	Order no.
Pure P2 R* **	Not for radioactive materials and airborne biological work materials of hazard group 3 and enzymes	20 units	20 g	67 38 353
Pure P3 R* **		20 units	20 g	67 38 354
Pure Odour P3 R* **	Additionally protects against nuisance odours below the occupational exposure limit	20 units	30 g	67 38 391
Pure Adapter	Enables the combination of Dräger X-plore® bayonet gas filter and Dräger X-plore® Pure particle filter as a combination filter	10 units	18 g	67 38 356

* labelling "R": certified for reuse (more than one shift)

** Strictly obey the limitations on use as per the Instructions for Use!

Notes

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

Manufacturer:

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany

REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE SOUTH

Dräger Safety France SAS
25, rue Georges Besse
92182 Antony Cedex
Tel +33 1 46 11 56 00
Fax +33 1 40 96 97 20
europa.south@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Safety Asia Pte Ltd
25 International Business Park
#04-20/21 German Centre
Singapore 609916
Tel +65 6308 9400
Fax +65 6308 9401
asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L.
Complejo Business Park,
V tower, 10th floor
Panama City
Tel +507 377 9100
Fax +507 377 9130
contactcsa@draeger.com

Locate your Regional
Sales Representative at:
www.draeger.com/contact

